

International LLP



- SELF SERVICE KIOSK & ATM MANUFACTURER
- PROVIDER OF FINANCIAL SOFTWARES & PAYMENT GATEWAY

Single & Bunch Note Acceptor:

State of the art, User friendly and Secure are three reasons why the GI-CDK is a leader in its own right. It is a high speed self-service machine that accepts up to 100 banknotes in a single feed operation because of its high transport speed and efficient scanning time.

Designed specifically with the customer in mind, the GI-CDK not only displays straight forward instructions on its touch-screen panel as well as emits clear lighting indicators to guide the customer through a seamless transaction; it is also compliant with the Disability Discrimination Act (DDA) of U.K and the American for Disability Act (ADA).

It is equipped with an automatic acceptor feature that enables the customer to feed banknotes in any orientation or alignment without compromising the quality used for identification or verification.

At the end of each successful transaction, a receipt with complete transaction will be provided

The GI-CDK for bulk banknote deposit is ideal for banks whose ultimate goal is to enhance the level of customer service and satisfaction. Ergonomically designed with minimal footprint, this self-service machine can be easily introduced in 24-hour banking facilities or highly frequented places to meet the needs of customers who deem banking flexibility and convenience.

Silent Features:

- Escrow function to enable cash return, should user choose to cancel the transaction.

Note Processing:

- Ability to perform verification on both sides of the banknotes.
- Deposit transactions collected in real time through secured LAN - Bar code reader to enable payment identification of utility bills.

Highlights:

- Optional high processing speed of up to 100 Banknotes in a single feed operation.
- Automatic acceptor so that banknotes in any orientation or alignment can be fed into the kiosk.
- Productivity statistics: 5 notes per second.

Security Features:

- CENL Standard (Optional).
- UL 291 Level I compliance.
- Dual combination Electronic lock.
- Chest Open status while sending signal/messages to Switch/ Management Center.

Connectivity:

- 100/1000 Mbps Network interface, Modem and GPRS capability.

International LLP



- SELF SERVICE KIOSK & ATM MANUFACTURER
- PROVIDER OF FINANCIAL SOFTWARES & PAYMENT GATEWAY

Key Features:

- Superior acceptance and security.
- Four-way bill insertion.
- Complete transport cycle at only 1.7 seconds.
- Installs in an up or down stacking configuration.
- Single Note, Bunch Note up to 40 note and Bulk note up to 100 and above notes(Configurable).
- Anti-stringing protection.
- Capable of handling different types of currencies.
- Robust Design enables satisfactory functioning in extreme environment.
- Very low power consumption.
- Ideal for renewable (solar) energy based systems.
- Secure metal body and dust-proof sensors.
- User screen for powerful advertising.
- Advanced monitoring system to provide almost 98% uptime(Optional).
- Easy service access
- Secure lockable-removable cassettes available in multiple capacities



Configuration:

Processor :Intel Core Processor
RAM :2 GB
HDD :250 GB
ROM :CD/DVD
4 USB Ports
Support for LINUX.

Specifications:

- Bill Width Validator : 67 or 71 mm wide (fixed-width)
: 62 - 78 mm wide (multi-width)
- Complete Transport Cycle : 1.7 sec (fixed-width)
: 2.5 sec (multi-width)
- Bill Insertion : Four Way
- Validation Rate : 96% or higher
- Escrow : One Bill
- Security Sensors : Cross-channel (anti-stringing) and dual entry
- Bezel Options : Standard, Running lights, coin/vandal-resistant metal bezel
- Interfaces Supported : 12V: pulse, serial or bi-directional (with TTL or Rs232)
- Operating Voltage : 2V DC: 2.0 A; 24V AC or 15-42.5 V DC
- Operating Temperature : 0° C to 50° C
- Cassette Sizes Available(Optional) : 400, 600 or 1500 (fixed-width);
150, 300 (horizontal);
300, 500, 1000 (multi-width)

Dimensions:

- Height :1893 mm
- Depth : 984 mm
- Width : 654 mm
- Weight : 450 kg(Approx.)

Optional Features:

- EMV certified DIP Card Reader(Optional).
- PCI 2.0 certified stainless steel EPP
- Built in Camera with DVSS application.



International LLP



- SELF SERVICE KIOSK & ATM MANUFACTURER
- PROVIDER OF FINANCIAL SOFTWARES & PAYMENT GATEWAY



About Gluck:

We are the leaders in Manufacturer & Supplier of ATM Machine, Banking and Non-Banking Kiosks, Passbook Printing Kiosk, Mobile ATM etc. These products are highly durable and reliable in nature. Our products are acknowledged amongst our customers due to their best quality. We ensure to deliver these products in various places across the country and export them as well.

Establish in year 2014, the machines from Gluck International are indigenously built to cater the requirements of banks all over the world. These machines combine the features of globally present, Kiosks and ATM's and at the same time provides simplicity for the user convenience.

The design, development and production staffs of the company, though incorporated in December 2014, carry an experience of more than 10 years in ATM and Kiosk Industry. We have expertise in interfacing our ATM's with different Bank hosts, Switches on different protocols like ISO.

Our Strength:

- In house Design and Development.
- Working on Secured LINUX platform.
- Wide experience in product Design and Development.
- EJ pulling software.

Our Products:

- Lobby ATM.
- Through The Wall ATM.
- Cheque Deposit KIOSK.
- Passbook Printing KIOSK.
- Cash Deposit KIOSK.
- Multi-Functional KIOSK.
- Cash Counting Machine.
- Bio Attendance Access Control System.
- EFT Switch.
- Card Management System Software.
- Card Personalization.
- Banking and Non-Banking KIOSK.
- Support to banking ATM.
- Support to banking and non banking KIOSK.



📍 OFFICE: H.No. 87, Hinjewadi, Opp Keshav Mangal Karyalay, Mulshi, Pune, Maharashtra, INDIA - 411 057

📍 SITE: H.No. Sr. No. 75/1, Jambe-Nere Road, Off. Twin Overhead Water Tanks, Near Last Bus Stop Jambe, Taluka - Mulshi, Pune, Maharashtra, INDIA - 411 033

✉ sales@gluckint.com

🌐 www.gluckint.com

☎ +97 9552673422 / +91 8975066969

